

QIGU.E181540 - PHOTOVOLTAIC MODULES AND PANELS

Photovoltaic Modules and Panels

See General Information for Photovoltaic Modules and Panels

SANYO ELECTRIC CO LTD OF PANASONIC GROUP

E181540

15-2 NISHIKI-MINAMI-MACHI

KAIZUKA-SHI, OSAKA 597-0094 JAPAN

Trademark and/or Tradename:

Panasonic

Electrical and Module Fire Class and Type Ratings

Cat. No.	I _{sc}	V _{oc}	P _{max}	Max System V _{dc}	Series Fuse Rating (A)	Module Fire Class	Module Fire Performance Type Rating
Photovoltaic modules							
HIT-N195A07	5.47	49.0	195	600	15	-	2
HIT-N195A08	5.47	49.0	195	600	15	-	2
HIT-N195A09	5.47	49.0	195	600	15	-	2
HIT-N195A10	5.47	49.0	195	600	15	-	2
HIT-N200A07	5.50	49.6	200	600	15	-	2
HIT-N200A08	5.50	49.6	200	600	15	-	2
HIT-N200A09	5.50	49.6	200	600	15	-	2
HIT-N200A10	5.50	49.6	200	600	15	-	2
HIT-N200A16	5.60	49.0	200	600	15	-	2
HIT-N200A17	5.60	49.0	200	600	15	-	2
HIT-N200A18	5.60	49.0	200	600	15	-	2
HIT-N200A19	5.60	49.0	200	600	15	-	2
HIT-N205A07	5.54	50.3	205	300	15	-	2
HIT-N205A08	5.54	50.3	205	600	15	-	2
HIT-N205A09	5.54	50.3	205	600	15	-	2

HIT-N205A10	5.54	50.3	205	600	15	-	2
HIT-N205A16	5.64	49.6	205	600	15	-	2
HIT-N205A17	5.64	49.6	205	600	15	-	2
HIT-N205A18	5.64	49.6	205	600	15	-	2
HIT-N205A19	5.64	49.6	205	600	15	-	2
HIT-N210A07	5.57	50.9	210	600	15	-	2
HIT-N210A08	5.57	50.9	210	600	15	-	2
HIT-N210A09	5.57	50.9	210	600	15	-	2
HIT-N210A10	5.57	50.9	210	600	15	-	2
HIT-N210A16	5.66	50.3	210	600	15	-	2
HIT-N210A17	5.66	50.3	210	600	15	-	2
HIT-N210A18	5.66	50.3	210	600	15	-	2
HIT-N210A19	5.66	50.3	210	600	15	-	2
HIT-N215A07	5.61	51.6	215	600	15	-	2
HIT-N215A08	5.61	51.6	215	600	15	-	2
HIT-N215A09	5.61	51.6	215	600	15	-	2
HIT-N215A10	5.61	51.6	215	600	15	-	2
HIT-N215A16	5.69	50.9	215	600	15	-	2
HIT-N215A17	5.69	50.9	215	600	15	-	2
HIT-N215A18	5.69	50.9	215	600	15	-	2
HIT-N215A19	5.69	50.9	215	600	15	-	2
HIT-N215SA07	5.65	50.7	215	600	15	-	2
HIT-N215SA08	5.65	50.7	215	600	15	-	2
HIT-N215SA09	5.65	50.7	215	600	15	-	2
HIT-N215SA10	5.65	50.7	215	600	15	-	2
HIT-N220A07	5.65	52.3	220	600	15	-	2
HIT-N220A08	5.65	52.3	220	600	15	-	2
HIT-N220A09	5.65	52.3	220	600	15	-	2
HIT-N220A10	5.65	52.3	220	600	15	-	2
HIT-N220A16	5.72	51.6	220	600	15	-	2
HIT-N220A17	5.72	57.2	220	600	15	-	2
HIT-N220A18	5.72	51.6	220	600	15	-	2
HIT-N220A19	5.72	51.6	220	600	15	-	2
HIT-N220SA03	5.82	50.0	220	600	15	-	2
HIT-N220SA04	5.82	50.0	220	600	15	-	2
HIT-N220SA05	5.82	50.0	220	600	15	-	2
HIT-N220SA06	5.82	50.0	220	600	15	-	2
HIT-N220SA07	5.65	51.2	220	600	15	-	2

HIT-N220SA08	5.65	51.2	220	600	15	-	2
HIT-N220SA09	5.65	51.2	220	600	15	-	2
HIT-N220SA10	5.65	51.2	220	600	15	-	2
HIT-N225A07	5.66	53.0	225	600	15	-	2
HIT-N225A08	5.66	53.0	225	600	15	-	2
HIT-N225A09	5.66	53.0	225	600	15	-	2
HIT-N225A10	5.66	53.0	225	600	15	-	2
HIT-N225A16	5.76	52.3	225	600	15	-	2
HIT-N225A17	5.76	52.3	225	600	15	-	2
HIT-N225A18	5.76	52.3	225	600	15	-	2
HIT-N225A19	5.76	52.3	225	600	15	-	2
HIT-N225SA03	5.83	50.6	225	600	15	-	2
HIT-N225SA04	5.83	50.6	225	600	15	-	2
HIT-N225SA05	5.83	50.6	225	600	15	-	2
HIT-N225SA06	5.83	50.6	225	600	15	-	2
HIT-N225SA07	5.66	51.8	225	600	15	-	2
HIT-N225SA08	5.66	51.8	225	600	15	-	2
HIT-N225SA09	5.66	51.8	225	600	15	-	2
HIT-N225SA10	5.66	51.8	225	600	15	-	2
HIT-N230A16	5.77	53.0	230	600	15	-	2
HIT-N230A17	5.77	53.0	230	600	15	-	2
HIT-N230A18	5.77	53.0	230	600	15	-	2
HIT-N230A19	5.77	53.0	230	600	15	-	2
HIT-N230SA03	5.83	51.2	230	600	15	-	2
HIT-N230SA04	5.83	51.2	230	600	15	-	2
HIT-N230SA05	5.83	51.2	230	600	15	-	2
HIT-N230SA06	5.83	51.2	230	600	15	-	2
HIT-N230SA07	5.67	52.4	230	600	15	-	2
HIT-N230SA08	5.67	52.4	230	600	15	-	2
HIT-N230SA09	5.67	52.4	230	600	15	-	2
HIT-N230SA10	5.67	52.4	230	600	15	-	2
HIT-N235A16	5.78	53.6	235	600	15	-	2
HIT-N235A17	5.78	53.6	235	600	15	-	2
HIT-N235A18	5.78	53.6	235	600	15	-	2
HIT-N235A19	5.78	53.6	235	600	15	-	2
HIT-N235SA03	5.84	51.8	235	600	15	-	2
HIT-N235SA04	5.84	51.8	235	600	15	-	2
HIT-N235SA05	5.84	51.8	235	600	15	-	2

HIT-N235SA06	5.84	51.8	235	600	15	-	2
HIT-N235SA07	5.68	52.9	235	600	15	-	2
HIT-N235SA08	5.68	52.9	235	600	15	-	2
HIT-N235SA09	5.68	52.9	235	600	15	-	2
HIT-N235SA10	5.68	52.9	235	600	15	-	2
HIT-N240SA03	5.85	52.4	240	600	15	-	2
HIT-N240SA04	5.85	52.4	240	600	15	-	2
HIT-N240SA05	5.85	52.4	240	600	15	-	2
HIT-N240SA06	5.85	52.4	240	600	15	-	2
HIT-N245SA03	5.86	53.0	245	600	15	-	2
HIT-N245SA04	5.86	53.0	245	600	15	-	2
HIT-N245SA05	5.86	53.0	245	600	15	-	2
HIT-N245SA06	5.86	53.0	245	600	15	-	2
VBHN215SA07	5.65	50.7	215	600	15	-	2
VBHN215SA07B	5.65	50.7	215	600	15	-	2
VBHN215SA08	5.65	50.7	215	600	15	-	2
VBHN215SA08B	5.65	50.7	215	600	15	-	2
VBHN215SA09	5.65	50.7	215	600	15	-	2
VBHN215SA09B	5.65	50.7	215	600	15	-	2
VBHN215SA10	5.65	50.7	215	600	15	-	2
VBHN215SA10B	5.65	50.7	215	600	15	-	2
VBHN220SA03	5.82	50.0	220	600	15	-	2
VBHN220SA03B	5.82	50.0	220	600	15	-	2
VBHN220SA04	5.82	50.0	220	600	15	-	2
VBHN220SA04B	5.82	50.0	220	600	15	-	2
VBHN220SA05	5.82	50.0	220	600	15	-	2
VBHN220SA05B	5.82	50.0	220	600	15	-	2
VBHN220SA06	5.82	50.0	220	600	15	-	2
VBHN220SA06B	5.82	50.0	220	600	15	-	2
VBHN220SA07	5.65	51.2	220	600	15	-	2
VBHN220SA07B	5.65	51.2	220	600	15	-	2
VBHN220SA08	5.65	51.2	220	600	15	-	2
VBHN220SA08B	5.65	51.2	220	600	15	-	2
VBHN220SA09	5.65	51.2	220	600	15	-	2
VBHN220SA09B	5.65	51.2	220	600	15	-	2
VBHN220SA10	5.65	51.2	220	600	15	-	2
VBHN220SA10B	5.65	51.2	220	600	15	-	2
VBHN220SA11	5.82	50.0	220	600	15	-	2

VBHN220SA11B	5.82	50.0	220	600	15	-	2
VBHN220SA12	5.82	50.0	220	600	15	-	2
VBHN220SA12B	5.82	50.0	220	600	15	-	2
VBHN225SA03	5.83	50.6	225	600	15	-	2
VBHN225SA03B	5.83	50.6	225	600	15	-	2
VBHN225SA04	5.83	50.6	225	600	15	-	2
VBHN225SA04B	5.83	50.6	225	600	15	-	2
VBHN225SA05	5.83	50.6	225	600	15	-	2
VBHN225SA05B	5.83	50.6	225	600	15	-	2
VBHN225SA06	5.83	50.6	225	600	15	-	2
VBHN225SA06B	5.83	50.6	225	600	15	-	2
VBHN225SA07	5.66	51.8	225	600	15	-	2
VBHN225SA07B	5.66	51.8	225	600	15	-	2
VBHN225SA08	5.66	51.8	225	600	15	-	2
VBHN225SA08B	5.66	51.8	225	600	15	-	2
VBHN225SA09	5.66	51.8	225	600	15	-	2
VBHN225SA09B	5.66	51.8	225	600	15	-	2
VBHN225SA10	5.66	51.8	225	600	15	-	2
VBHN225SA10B	5.66	51.8	225	600	15	-	2
VBHN225SA11	5.83	50.6	225	600	15	-	2
VBHN225SA11B	5.83	50.6	225	600	15	-	2
VBHN225SA12	5.83	50.6	225	600	15	-	2
VBHN225SA12B	5.83	50.6	225	600	15	-	2
VBHN230SA03	5.83	51.2	230	600	15	-	2
VBHN230SA03B	5.83	51.2	230	600	15	-	2
VBHN230SA04	5.83	51.2	230	600	15	-	2
VBHN230SA04B	5.83	51.2	230	600	15	-	2
VBHN230SA05	5.83	51.2	230	600	15	-	2
VBHN230SA05B	5.83	51.2	230	600	15	-	2
VBHN230SA06	5.83	51.2	230	600	15	-	2
VBHN230SA06B	5.83	51.2	230	600	15	-	2
VBHN230SA07	5.67	52.4	230	600	15	-	2
VBHN230SA07B	5.67	52.4	230	600	15	-	2
VBHN230SA08	5.67	52.4	230	600	15	-	2
VBHN230SA08B	5.67	52.4	230	600	15	-	2
VBHN230SA09	5.67	52.4	230	600	15	-	2
VBHN230SA09B	5.67	52.4	230	600	15	-	2
VBHN230SA10	5.67	52.4	230	600	15	-	2

VBHN230SA10B	5.67	52.4	230	600	15	-	2
VBHN230SA11	5.83	51.2	230	600	15	-	2
VBHN230SA11B	5.83	51.2	230	600	15	-	2
VBHN230SA12	5.83	51.2	230	600	15	-	2
VBHN230SA12B	5.83	51.2	230	600	15	-	2
VBHN235SA03	5.84	51.8	235	600	15	-	2
VBHN235SA03B	5.84	51.8	235	600	15	-	2
VBHN235SA04	5.84	51.8	235	600	15	-	2
VBHN235SA04B	5.84	51.8	235	600	15	-	2
VBHN235SA05	5.84	51.8	235	600	15	-	2
VBHN235SA05B	5.84	51.8	235	600	15	-	2
VBHN235SA06	5.84	51.8	235	600	15	-	2
VBHN235SA06B	5.84	51.8	235	600	15	-	2
VBHN235SA07	5.68	52.9	235	600	15	-	2
VBHN235SA07B	5.68	52.9	235	600	15	-	2
VBHN235SA08	5.68	52.9	235	600	15	-	2
VBHN235SA08B	5.68	52.9	235	600	15	-	2
VBHN235SA09	5.68	52.9	235	600	15	-	2
VBHN235SA09B	5.68	52.9	235	600	15	-	2
VBHN235SA10	5.68	52.9	235	600	15	-	2
VBHN235SA10B	5.68	52.9	235	600	15	-	2
VBHN235SA11	5.84	51.8	235	600	15	-	2
VBHN235SA11B	5.84	51.8	235	600	15	-	2
VBHN235SA12	5.84	51.8	235	600	15	-	2
VBHN235SA12B	5.84	51.8	235	600	15	-	2
VBHN240SA03	5.85	52.4	240	600	15	-	2
VBHN240SA03B	5.85	52.4	240	600	15	-	2
VBHN240SA04	5.85	52.4	240	600	15	-	2
VBHN240SA04B	5.85	52.4	240	600	15	-	2
VBHN240SA05	5.85	52.4	240	600	15	-	2
VBHN240SA05B	5.85	52.4	240	600	15	-	2
VBHN240SA06	5.85	52.4	240	600	15	-	2
VBHN240SA06B	5.85	52.4	240	600	15	-	2
VBHN240SA11	5.85	52.4	240	600	15	-	2
VBHN240SA11B	5.85	52.4	240	600	15	-	2
VBHN240SA12	5.85	52.4	240	600	15	-	2
VBHN240SA12B	5.85	52.4	240	600	15	-	2
VBHN245SA03	5.86	53.0	245	600	15	-	2

VBHN245SA03B	5.86	53.0	245	600	15	-	2
VBHN245SA04	5.86	53.0	245	600	15	-	2
VBHN245SA04B	5.86	53.0	245	600	15	-	2
VBHN245SA05	5.86	53.0	245	600	15	-	2
VBHN245SA05B	5.86	53.0	245	600	15	-	2
VBHN245SA06	5.86	53.0	245	600	15	-	2
VBHN245SA06B	5.86	53.0	245	600	15	-	2
VBHN245SA11	5.86	53.0	245	600	15	-	2
VBHN245SA11B	5.86	53.0	245	600	15	-	2
VBHN245SA12	5.86	53.0	245	600	15	-	2
VBHN245SA12B	5.86	53.0	245	600	15	-	2
VBHN305KA01	5.73	69.6	305	600	15	-	2
VBHN305KA02	5.73	69.6	305	600	15	-	2
VBHN305KA03	5.73	69.6	305	600	15	-	2
VBHN305KA04	5.73	69.6	305	600	15	-	2
VBHN305ZA02	5.73	69.6	305	600	15	-	2
VBHN305ZA03	5.73	69.6	305	600	15	-	2
VBHN305ZA04	5.73	69.6	305	600	15	-	2
VBHN306KA01	5.74	69.7	306	600	15	-	2
VBHN306KA02	5.74	69.7	306	600	15	-	2
VBHN306KA03	5.74	69.7	306	600	15	-	2
VBHN306KA04	5.74	69.7	306	600	15	-	2
VBHN306ZA02	5.74	69.7	306	600	15	-	2
VBHN306ZA03	5.74	69.7	306	600	15	-	2
VBHN306ZA04	5.74	69.7	306	600	15	-	2
VBHN307KA01	5.75	69.7	307	600	15	-	2
VBHN307KA02	5.75	69.7	307	600	15	-	2
VBHN307KA03	5.75	69.7	307	600	15	-	2
VBHN307KA04	5.75	69.7	307	600	15	-	2
VBHN307ZA02	5.75	69.7	307	600	15	-	2
VBHN307ZA03	5.75	69.7	307	600	15	-	2
VBHN307ZA04	5.75	69.7	307	600	15	-	2
VBHN308KA01	5.76	69.8	308	600	15	-	2
VBHN308KA02	5.76	69.8	308	600	15	-	2
VBHN308KA03	5.76	69.8	308	600	15	-	2
VBHN308KA04	5.76	69.8	308	600	15	-	2
VBHN308ZA02	5.76	69.8	308	600	15	-	2
VBHN308ZA03	5.76	69.8	308	600	15	-	2

VBHN308ZA04	5.76	69.8	308	600	15	-	2
VBHN309KA01	5.77	69.9	309	600	15	-	2
VBHN309KA02	5.77	69.9	309	600	15	-	2
VBHN309KA03	5.77	69.9	309	600	15	-	2
VBHN309KA04	5.77	69.9	309	600	15	-	2
VBHN309ZA02	5.77	69.9	309	600	15	-	2
VBHN309ZA03	5.77	69.9	309	600	15	-	2
VBHN309ZA04	5.77	69.9	309	600	15	-	2
VBHN310KA01	5.78	69.9	310	600	15	-	2
VBHN310KA02	5.78	69.9	310	600	15	-	2
VBHN310KA03	5.78	69.9	310	600	15	-	2
VBHN310KA04	5.78	69.9	310	600	15	-	2
VBHN310ZA02	5.78	69.9	310	600	15	-	2
VBHN310ZA03	5.78	69.9	310	600	15	-	2
VBHN310ZA04	5.78	69.9	310	600	15	-	2
VBHN311KA01	5.79	70.0	311	600	15	-	2
VBHN311KA02	5.79	70.0	311	600	15	-	2
VBHN311KA03	5.79	70.0	311	600	15	-	2
VBHN311KA04	5.79	70.0	311	600	15	-	2
VBHN311ZA02	5.79	70.0	311	600	15	-	2
VBHN311ZA03	5.79	70.0	311	600	15	-	2
VBHN311ZA04	5.79	70.0	311	600	15	-	2
VBHN312KA01	5.80	70.1	312	600	15	-	2
VBHN312KA02	5.80	70.1	312	600	15	-	2
VBHN312KA03	5.80	70.1	312	600	15	-	2
VBHN312KA04	5.80	70.1	312	600	15	-	2
VBHN312ZA02	5.80	70.1	312	600	15	-	2
VBHN312ZA03	5.80	70.1	312	600	15	-	2
VBHN312ZA04	5.80	70.1	312	600	15	-	2
VBHN313KA01	5.81	70.1	313	600	15	-	2
VBHN313KA02	5.81	70.1	313	600	15	-	2
VBHN313KA03	5.81	70.1	313	600	15	-	2
VBHN313KA04	5.81	70.1	313	600	15	-	2
VBHN313ZA02	5.81	70.1	313	600	15	-	2
VBHN313ZA03	5.81	70.1	313	600	15	-	2
VBHN313ZA04	5.81	70.1	313	600	15	-	2
VBHN314KA01	5.82	70.2	314	600	15	-	2
VBHN314KA02	5.82	70.2	314	600	15	-	2

VBHN314KA03	5.82	70.2	314	600	15	-	2
VBHN314KA04	5.82	70.2	314	600	15	-	2
VBHN314ZA02	5.82	70.2	314	600	15	-	2
VBHN314ZA03	5.82	70.2	314	600	15	-	2
VBHN314ZA04	5.82	70.2	314	600	15	-	2
VBHN315KA01	5.83	70.2	315	600	15	-	2
VBHN315KA02	5.83	70.2	315	600	15	-	2
VBHN315KA03	5.83	70.2	315	600	15	-	2
VBHN315KA04	5.83	70.2	315	600	15	-	2
VBHN315ZA02	5.83	70.2	315	600	15	-	2
VBHN315ZA03	5.83	70.2	315	600	15	-	2
VBHN315ZA04	5.83	70.2	315	600	15	-	2
VBHN316KA01	5.85	70.3	316	600	15	-	2
VBHN316KA02	5.85	70.3	316	600	15	-	2
VBHN316KA03	5.85	70.3	316	600	15	-	2
VBHN316KA04	5.85	70.3	316	600	15	-	2
VBHN316ZA02	5.85	70.3	316	600	15	-	2
VBHN316ZA03	5.85	70.3	316	600	15	-	2
VBHN316ZA04	5.85	70.3	316	600	15	-	2
VBHN317KA01	5.86	70.3	317	600	15	-	2
VBHN317KA02	5.86	70.3	317	600	15	-	2
VBHN317KA03	5.86	70.3	317	600	15	-	2
VBHN317KA04	5.86	70.3	317	600	15	-	2
VBHN317ZA02	5.86	70.3	317	600	15	-	2
VBHN317ZA03	5.86	70.3	317	600	15	-	2
VBHN317ZA04	5.86	70.3	317	600	15	-	2
VBHN318KA01	5.87	70.4	318	600	15	-	2
VBHN318KA02	5.87	70.4	318	600	15	-	2
VBHN318KA03	5.87	70.4	318	600	15	-	2
VBHN318KA04	5.87	70.4	318	600	15	-	2
VBHN318ZA02	5.87	70.4	318	600	15	-	2
VBHN318ZA03	5.87	70.4	318	600	15	-	2
VBHN318ZA04	5.87	70.4	318	600	15	-	2
VBHN319KA01	5.88	70.5	319	600	15	-	2
VBHN319KA02	5.88	70.5	319	600	15	-	2
VBHN319KA03	5.88	70.5	319	600	15	-	2
VBHN319KA04	5.88	70.5	319	600	15	-	2
VBHN319ZA02	5.88	70.5	319	600	15	-	2

VBHN319ZA03	5.88	70.5	319	600	15	-	2
VBHN319ZA04	5.88	70.5	319	600	15	-	2
VBHN320KA01	5.89	70.5	320	600	15	-	2
VBHN320KA02	5.89	70.5	320	600	15	-	2
VBHN320KA03	5.89	70.5	320	600	15	-	2
VBHN320KA04	5.89	70.5	320	600	15	-	2
VBHN320SA15	5.98	69.4	320	600	15	-	2
VBHN320SA15B	5.98	69.4	320	600	15	-	2
VBHN320SA16	5.98	69.4	320	600	15	-	2
VBHN320SA16B	5.98	69.4	320	600	15	-	2
VBHN320SA17	5.98	69.4	320	600	15	-	2
VBHN320SA18	5.98	69.4	320	600	15	-	2
VBHN320ZA01	5.98	69.4	320	600	15	-	2
VBHN320ZA02	5.89	70.5	320	600	15	-	2
VBHN320ZA03	5.89	70.5	320	600	15	-	2
VBHN320ZA04	5.89	70.5	320	600	15	-	2
VBHN321KA01	5.90	70.6	321	600	15	-	2
VBHN321KA02	5.90	70.6	321	600	15	-	2
VBHN321KA03	5.90	70.6	321	600	15	-	2
VBHN321KA04	5.90	70.6	321	600	15	-	2
VBHN321ZA02	5.90	70.6	321	600	15	-	2
VBHN321ZA03	5.90	70.6	321	600	15	-	2
VBHN321ZA04	5.90	70.6	321	600	15	-	2
VBHN322KA01	5.91	70.6	322	600	15	-	2
VBHN322KA02	5.91	70.6	322	600	15	-	2
VBHN322KA03	5.91	70.6	322	600	15	-	2
VBHN322KA04	5.91	70.6	322	600	15	-	2
VBHN322ZA02	5.91	70.6	322	600	15	-	2
VBHN322ZA03	5.91	70.6	322	600	15	-	2
VBHN322ZA04	5.91	70.6	322	600	15	-	2
VBHN323KA01	5.92	70.7	323	600	15	-	2
VBHN323KA02	5.92	70.7	323	600	15	-	2
VBHN323KA03	5.92	70.7	323	600	15	-	2
VBHN323KA04	5.92	70.7	323	600	15	-	2
VBHN323ZA02	5.92	70.7	323	600	15	-	2
VBHN323ZA03	5.92	70.7	323	600	15	-	2
VBHN323ZA04	5.92	70.7	323	600	15	-	2
VBHN324KA01	5.93	70.8	324	600	15	-	2

VBHN324KA02	5.93	70.8	324	600	15	-	2
VBHN324KA03	5.93	70.8	324	600	15	-	2
VBHN324KA04	5.93	70.8	324	600	15	-	2
VBHN324ZA02	5.93	70.8	324	600	15	-	2
VBHN324ZA03	5.93	70.8	324	600	15	-	2
VBHN324ZA04	5.93	70.8	324	600	15	-	2
VBHN325KA01	5.94	70.9	325	600	15	-	2
VBHN325KA02	5.94	70.9	325	600	15	-	2
VBHN325KA03	5.94	70.9	325	600	15	-	2
VBHN325KA04	5.94	70.9	325	600	15	-	2
VBHN325SA15	6.03	69.6	325	600	15	-	2
VBHN325SA15B	6.03	69.6	325	600	15	-	2
VBHN325SA16	6.03	69.6	325	600	15	-	2
VBHN325SA16B	6.03	69.6	325	600	15	-	2
VBHN325SA17	6.03	69.6	325	600	15	-	2
VBHN325SA18	6.03	69.6	325	600	15	-	2
VBHN325ZA01	6.03	69.6	325	600	15	-	2
VBHN325ZA02	5.94	70.9	325	600	15	-	2
VBHN325ZA03	5.94	70.9	325	600	15	-	2
VBHN325ZA04	5.94	70.9	325	600	15	-	2
VBHN326KA01	5.95	70.9	326	600	15	-	2
VBHN326KA02	5.95	70.9	326	600	15	-	2
VBHN326KA03	5.95	70.9	326	600	15	-	2
VBHN326KA04	5.95	70.9	326	600	15	-	2
VBHN327KA01	5.96	71.0	327	600	15	-	2
VBHN327KA02	5.96	71.0	327	600	15	-	2
VBHN327KA03	5.96	71.0	327	600	15	-	2
VBHN327KA04	5.96	71.0	327	600	15	-	2
VBHN328KA01	5.97	71.1	328	600	15	-	2
VBHN328KA02	5.97	71.1	328	600	15	-	2
VBHN328KA03	5.97	71.1	328	600	15	-	2
VBHN328KA04	5.97	71.1	328	600	15	-	2
VBHN329KA01	5.98	71.1	329	600	15	-	2
VBHN329KA02	5.98	71.1	329	600	15	-	2
VBHN329KA03	5.98	71.1	329	600	15	-	2
VBHN329KA04	5.98	71.1	329	600	15	-	2
VBHN330KA01	5.99	71.2	330	600	15	-	2
VBHN330KA02	5.99	71.2	330	600	15	-	2

VBHN330KA03	5.99	71.2	330	600	15	-	2
VBHN330KA04	5.99	71.2	330	600	15	-	2
VBHN330SA15	6.07	69.7	330	600	15	-	2
VBHN330SA15B	6.07	69.7	330	600	15	-	2
VBHN330SA16	6.07	69.7	330	600	15	-	2
VBHN330SA16B	6.07	69.7	330	600	15	-	2
VBHN330SA17	6.07	69.7	330	600	15	-	2
VBHN330SA18	6.07	69.7	330	600	15	-	2
VBHN330ZA01	6.07	69.7	330	600	15	-	2
VBHN331KA01	6.00	71.2	331	600	15	-	2
VBHN331KA02	6.00	71.2	331	600	15	-	2
VBHN331KA03	6.00	71.2	331	600	15	-	2
VBHN331KA04	6.00	71.2	331	600	15	-	2
VBHN332KA01	6.02	71.3	332	600	15	-	2
VBHN332KA02	6.02	71.3	332	600	15	-	2
VBHN332KA03	6.02	71.3	332	600	15	-	2
VBHN332KA04	6.02	71.3	332	600	15	-	2
VBHN332SA15	6.08	69.8	332	600	15	-	2
VBHN332SA15B	6.08	69.8	332	600	15	-	2
VBHN332SA16	6.08	69.8	332	600	15	-	2
VBHN332SA16B	6.08	69.8	332	600	15	-	2
VBHN332SA17	6.08	69.8	332	600	15	-	2
VBHN332SA18	6.08	69.8	332	600	15	-	2
VBHN333KA01	6.03	71.4	333	600	15	-	2
VBHN333KA02	6.03	71.4	333	600	15	-	2
VBHN333KA03	6.03	71.4	333	600	15	-	2
VBHN333KA04	6.03	71.4	333	600	15	-	2
VBHN333SA15	6.09	69.8	333	600	15	-	2
VBHN333SA15B	6.09	69.8	333	600	15	-	2
VBHN333SA16	6.09	69.8	333	600	15	-	2
VBHN333SA16B	6.09	69.8	333	600	15	-	2
VBHN333SA17	6.09	69.8	333	600	15	-	2
VBHN333SA18	6.09	69.8	333	600	15	-	2
VBHN334KA01	6.04	71.4	334	600	15	-	2
VBHN334KA02	6.04	71.4	334	600	15	-	2
VBHN334KA03	6.04	71.4	334	600	15	-	2
VBHN334KA04	6.04	71.4	334	600	15	-	2
VBHN335KA01	6.05	71.5	335	600	15	-	2

VBHN335KA02	6.05	71.5	335	600	15	-	2
VBHN335KA03	6.05	71.5	335	600	15	-	2
VBHN335KA04	6.05	71.5	335	600	15	-	2
VBHN335SA15	6.08	71.0	335	600	15	-	2
VBHN335SA15B	6.08	71.0	335	600	15	-	2
VBHN335SA16	6.08	71.0	335	600	15	-	2
VBHN335SA16B	6.08	71.0	335	600	15	-	2
VBHN335SA17	6.08	71.0	335	600	15	-	2
VBHN335SA18	6.08	71.0	335	600	15	-	2
VBHN336KA01	6.06	71.6	336	600	15	-	2
VBHN336KA02	6.06	71.6	336	600	15	-	2
VBHN336KA03	6.06	71.6	336	600	15	-	2
VBHN336KA04	6.06	71.6	336	600	15	-	2
VBHN337KA01	6.07	71.6	337	600	15	-	2
VBHN337KA02	6.07	71.6	337	600	15	-	2
VBHN337KA03	6.07	71.6	337	600	15	-	2
VBHN337KA04	6.07	71.6	337	600	15	-	2
VBHN337SA15	6.10	71.1	337	600	15	-	2
VBHN337SA15B	6.10	71.1	337	600	15	-	2
VBHN337SA16	6.10	71.1	337	600	15	-	2
VBHN337SA16B	6.10	71.1	337	600	15	-	2
VBHN337SA17	6.10	71.1	337	600	15	-	2
VBHN337SA18	6.10	71.1	337	600	15	-	2
VBHN338KA01	6.08	71.7	338	600	15	-	2
VBHN338KA02	6.08	71.7	338	600	15	-	2
VBHN338KA03	6.08	71.7	338	600	15	-	2
VBHN338KA04	6.08	71.7	338	600	15	-	2
VBHN339KA01	6.09	71.7	339	600	15	-	2
VBHN339KA02	6.09	71.7	339	600	15	-	2
VBHN339KA03	6.09	71.7	339	600	15	-	2
VBHN339KA04	6.09	71.7	339	600	15	-	2
VBHN340KA01	6.10	71.8	340	600	15	-	2
VBHN340KA02	6.10	71.8	340	600	15	-	2
VBHN340KA03	6.10	71.8	340	600	15	-	2
VBHN340KA04	6.10	71.8	340	600	15	-	2
VBHN340SA15	6.13	71.3	340	600	15	-	2
VBHN340SA15B	6.13	71.3	340	600	15	-	2
VBHN340SA16	6.13	71.3	340	600	15	-	2

VBHN340SA16B	6.13	71.3	340	600	15	-	2
VBHN340SA17	6.13	71.3	340	600	15	-	2
VBHN340SA18	6.13	71.3	340	600	15	-	2
VBHN342SA15	6.15	71.4	342	600	15	-	2
VBHN342SA15B	6.15	71.4	342	600	15	-	2
VBHN342SA16	6.15	71.4	342	600	15	-	2
VBHN342SA16B	6.15	71.4	342	600	15	-	2
VBHN342SA17	6.15	71.4	342	600	15	-	2
VBHN342SA18	6.15	71.4	342	600	15	-	2
VBHN345SA15	6.18	71.6	345	600	15	-	2
VBHN345SA15B	6.18	71.6	345	600	15	-	2
VBHN345SA16	6.18	71.6	345	600	15	-	2
VBHN345SA16B	6.18	71.6	345	600	15	-	2
VBHN345SA17	6.18	71.6	345	600	15	-	2
VBHN345SA18	6.18	71.6	345	600	15	-	2

Last Updated on 2019-02-08

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"